



**GEM-YEAR TESTING LABORATORY  
CERTIFICATE OF INSPECTION**

MANUFACTURER: GEM-YEAR INDUSTRIAL CO., LTD.  
 ADDRESS: NO.8GEM-YEAR  
 ROAD,E.D.Z.JIASHAN,ZHEJIANG,P.R.CHINA  
 PURCHASER: MAPTCO FASTENERS (AUST) PTY LTD  
 PO. NUMBER: MAP-1941S  
 COMMODITY: ISO 4017 HEX HEAD BOLT FULL THREAD CL 10.9  
 SIZE: M12-1.75X50  
 LOT NO: 1B2050983  
 SHIP QUANTITY: 10,500 PCS  
 HEADMARKS: GENIUS SYMBOL & 10.9  
 COUNTRY OF ORIGIN: CHINA

TEL: (0573) 84185001 (48Lines)  
 FAX: (0573) 84184488 84184567  
 DATE: 2020/07/10  
 PACKING NO: GEM200521016  
 INVOICE NO: GEM/MAP-200713SYD  
 PART NO: A518  
 SAMPLING PLAN:  
 ASME B18.18-2017/ASTM F1470-2018  
 HEAT NO: H379676A  
 MATERIAL: SCM435  
 FINISH: H. T. TRIVALENT ZINC 5U HYDROGEN  
 RELEASE

**PERCENTAGE COMPOSITION OF CHEMISTRY: TEST FACILITY :S**

Chemistry	C%	Cr%	Mn%	Mo%	P%	S%	Si%
Spec.:MIN.	0.3300	0.9000	0.6000	0.1500			0.1500
MAX.	0.3800	1.2000	0.8500	0.3000	0.0250	0.0250	0.3500
Test Value	0.3400	0.9800	0.6200	0.1900	0.0040	0.0020	0.2400

**DIMENSIONAL INSPECTIONS: ACCORDING TO ISO4017-2014 TEST FACILITY : M**

SAMPLED BY: LIANGLI

INSPECTIONS ITEM	SAMPLE	TEST METHOD	REF	SPECIFIED	ACTUAL RESULT	ACC	REJ
MAJOR DIAMETER	4 PCS	JB/T 9151		11.7100-11.9600 MM	11.7900-11.8200 MM	4	0
HEIGHT	4 PCS	JB/T 9151		7.3200-7.6800 MM	7.5200-7.5600 MM	4	0
SURFACE DISCONTINUITIES	29 PCS	ISO6157.3			PASSED	29	0
NOMINAL LENGTH	15 PCS	JB/T 9151		49.5000-50.5000 MM	49.8600-49.9300 MM	15	0
WIDTH ACROSS CORNERS	4 PCS	JB/T 9151		Min. 20.0300 MM	20.2900-20.3400 MM	4	0
WIDTH ACROSS FLATS	4 PCS	JB/T 9151		17.7300-18.0000 MM	17.8100-17.8500 MM	4	0
THREAD	15 PCS	JB/T 9151		6h GO 6h NOGO	PASSED	15	0

**MECHANICAL PROPERTIES: ACCORDING TO ISO 898.1-2013 TEST FACILITY : M**

SAMPLED BY: DAIWENTING

INSPECTIONS ITEM	SAMPLE	TEST METHOD	REF	SPECIFIED	ACTUAL RESULT	ACC	REJ
CORE HARDNESS	15 PCS	ISO898.1		32-39 HRC	35.6-37.6 HRC	15	0
TENSILE STRENGTH	4 PCS	ISO898.1		Min. 1,040 N/MM2	1,090-1,119 N/MM2	4	0
SURFACE HARDNESS	15 PCS	ASTM E384		Max. 390 HV	335-365 HV	15	0

ALL TESTS ARE IN ACCORDANCE WITH THE METHODS PRESCRIBED IN THE APPLICABLE ASTM/SAE/ASME. SPECIFICATION. WE CERTIFY THAT THIS DATA IS A TRUE REPRESENTATION OF INFORMATION PROVIDED BY THE MATERIAL SUPPLIER AND OUR TESTING LABORATORY.

THE REPORT IS ISSUED ACCORDING TO ISO16228 F3.1(EN10204 3.1)

TYPE M: MANUFACTURER

TYPE S: SUPPLIER(STEEL MILL,PLATING SUB SUPPLIER,HEAT TREATMENT SUB SUPPLIER ETC.,)

WE CERTIFY THE PARTS ARE ROHS COMPLIANT.

SIGNATURE: